

Bunch filling schemes for early running scenarios

M. Ferro-Luzzi and W. Herr

Issues for bunch filling scheme:

■ LHC collider issues:

- Luminosity
- Experimental conditions
- Beam-beam effects
- Other collective effects
- Diagnostics
-

■ Injector chain (input from Elias, Gianluigi)



Luminosity considerations - reminder

■ Boundary condition: 4 experiments

- 2 high luminosity experiments → try to "maximize" number of useful collisions
 - 2 specialized experiments → try to "optimize" number of collisions/s
 - **all** gaps in train symmetric around IP1 and IP5 → no losses in IP1 and IP5, but in IP2 and IP8
 - LHCb: IP8 \neq DELPHI ! (shifted by 1.5 slots), additional losses
-

Luminosity considerations - reminder

■ proton-proton operation:

➤ ATLAS and CMS: maximum integrated luminosity

➤ LHCb: $\mathcal{L}_{opt} = 2 - 5 \cdot 10^{32} \text{ cm}^{-2} \text{ s}^{-1}$

➤ ALICE: $\mathcal{L}_{opt} = 1 \cdot 10^{29} \text{ cm}^{-2} \text{ s}^{-1}$

➔ Requires reduction even for small number of bunches
(43) !

Filling schemes versus beam-beam effects

- Aim: minimize bunch-to-bunch variations (orbit, tune, chromaticity ..)
- Try to maintain a "quasi" 4-fold symmetry
- Minimize number of different classes of bunches (i.e. number of interactions, strength of interactions)
- Allow (passive) compensation of PACMAN effects



Present LHC filling scheme (25 ns):


- Present scheme for high (nominal) luminosity with 25 ns spacing, with 72 bunches per batch

Usually presented as:

$$\begin{aligned} & [2 * (72b + 8e) + 30e] + [3 * (72b + 8e) + 30e] + [4 * (72b + 8e) + 31e] + \\ & 3 * \{2 * [3 * (72b + 8e) + 30e] + [4 * (72b + 8e) + 31e]\} + \\ & 80e = 3564 \end{aligned}$$

- Total 2808 bunches (b), 756 empty spaces (e)
 - Batches of 72 bunches, trains of 2,3,4 batches in SPS
 - Requires 12 SPS/LHC transfers per beam
-

Present LHC filling scheme (25 ns):



Beam-beam considerations

- LHC is machine with many bunches, dominate beam-beam effects
- Exact collision schedule needed
- Precise description needed for self-consistent beam-beam and luminosity computations
 - Orbits, tune, chromaticity, ... (for each bunch)
 - Coherent motion, measurement response
 - Luminosity optimization
- Needs more appropriate, flexible description (asymmetries, missing bunches, fluctuations ...)



Filling scheme description

We have 35640 buckets → 3564 slots for bunches spaced by 25 ns

How we count:

numbering of bunches according to slot number (or equivalent: bucket number), for **any** spacing

E.g. 43-bunch scheme:

(82, 163, 244, ...)



Filling scheme description

- is constructed from some input like (nominal, see e.g. LHC Project Note 344 (2004)):

```
72 0 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 72 1 39 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 72 1 39 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 72 1 39 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 30 0 0 0
72 1 8 0 72 1 8 0 72 1 8 0 72 1 39 0
```

- can be different for the two beams



Collision schedules

For 8-fold symmetry: 445.5 slots between interactions points !

In IP1, IP5 and IP8:

collisions of **even-even** and **odd-odd** (slots)

In IP2 (... and DELPHI):

collisions of **odd-even** and **even-odd**

➤ for **any** bunch spacing $\neq 25$ ns ➔ watch out !



The interesting configurations


■ Consider protons only:

- Nominal 25 ns spacing - no trouble
- For 43 or 156 bunches, optimized for IP1, IP2 and IP5
- For 75 ns spacing - get good collision rate in all IPs (too much for IP2 ?)
- For 50 ns spacing - watch out for IP2 and IP8

■ What about crossing schemes ?




Beam separation scheme (e.g. right of IP5):




➤ Beam orbits with D1 (≈ 60 m) and D2 (≈ 160 m) only

Beam separation scheme (25 ns):




Beam orbits with D1 and D2 only

Beam separation scheme (25 ns):



Beam orbits with D1, D2 and crossing angle

Beam separation scheme (525 ns, 156 Bunches):



D1 and D2 only, no crossing angle needed

Collisions in LHC experiments - numerology

- Nominal bunch filling scheme with 25 ns spacing

	collisions
collisions in IP1	2808
collisions in IP2	2736
collisions in IP5	2808
collisions in IP8	2622



Collisions in LHC experiments - numerology

- Collisions in IPs with 43 (44) equidistant bunches

	collisions
collisions in IP1	43
collisions in IP2	42
collisions in IP5	43
collisions in IP8	0
collisions in DELPHI	42

How to collide in LHCb ?

- Have to displace N_s bunches of the N_b bunches
 - IP1,IP5: collide regular-regular, displaced-displaced
 - IP2: collide regular-regular
 - IP8: collide regular-displaced
- Two strategies:
 - Displace bunches in one beam
 - Displace bunches in both beams symmetrically
- Assumptions:
 - Can shift PS to SPS injection (one batch)
 - Can shift SPS to LHC injection (2, 3 or 4 batches)
 - Can replace SPS to LHC injection by single bunch

How to collide in LHCb ?

- Have to displace N_s bunches of the N_b bunches
 - IP1,IP5: collide regular-regular, displaced-displaced
 - IP2: collide regular-regular
 - IP8: collide regular-displaced
 - Two strategies:
 - Displace bunches in one beam
 - Displace bunches in both beams symmetrically
 - Assumptions:
 - Can shift PS to SPS injection (one batch)
 - Can shift SPS to LHC injection (2, 3 or 4 batches)
 - Can replace SPS to LHC injection by single bunch
-

How to collide in LHCb ?

- Two strategies:
 - Displace bunches in one beam
 - ➔ loss of collisions in IP1, IP5 and IP2
 - Displace bunches in both beams symmetrically
 - ➔ still collide in IP1, IP5, additional losses in IP2
- Theoretical maximum for equidistant bunches:
 $\min(N_b - N_s, N_s)$
- for 43 bunches ➔ can shift up to 22 (6 SPS to LHC injections)
- 21 collisions, but 0 in ALICE

Collisions in LHCb - numerology

- Collisions in IPs with 43 equidistant bunches, different displacement strategies

displaced	0	4 (asym)	4 (sym)	11 (sym)	19 (sym)
IP1	43	39	43	43	43
IP2	42	38	34	21	4
IP5	43	39	43	43	43
IP8	0	4	4	11	19



Collisions in LHCb - numerology

➤ Bunch filling scheme with 156 bunches

	no bunches displaced	option 1	option 2
collisions in IP1	156	156	156
collisions in IP2	152	76	16
collisions in IP5	156	156	156
collisions in IP8	0	36	68



Bunch spacing 50 ns

- Advantage: high luminosity, much fewer long range interactions
- Interesting if desired collision rate in IP2 very small
- Constructing 50 ns spacing from nominal scheme:
 - Start from nominal 25 ns spacing
 - Remove every second bunch of a train, keep first bunch (no collisions in IP8)
 - Shift selected trains (SPS/LHC transfers) by 1 slot to get desired sharing between IP2 and IP8



LHCb collision options:

- a) No shift
- b) Shift SPS/LHC transfers 4 - 6
- c) Shift SPS/LHC transfers 4 - 6, 10 - 12
- d) Shift SPS/LHC transfers 1 - 3, 7 - 9
- e) Shift SPS/LHC transfers 2 - 3, 7 - 9,
replace transfer 1 by one single bunch



Numerology of collisions

➤ Bunch filling scheme with 50 ns spacing

	a	b	c	d	e
IP1	1404	1404	1404	1404	1333
IP2	1368	684	0	72	2
IP5	1404	1404	1404	1404	1333
DELPHI	1368	684	0	72	2
IP8	0	655	1035	1242	1173

Summary and recommendations

- Without crossing angle: optimize collision rate in IP1 and IP5 by symmetric displacement in both beams, sharing between IP2 and IP8 can be largely adjusted.
- valid for 43 and 156 (54) bunches options
- In case $\mathcal{L}(\text{IP2})$ low: modified 50 ns scheme is a good alternative to 75 ns scheme

