p-Pb pilot physics run 12th- 13th September 2012

LCU Meeting – 18th September 2012

R. Versteegen for the p-Pb team:

R. Alemany, P. Baudrenghien, S. Hancock, M. Ferro-Luzzi,
B. Gorini, J. Jowett, M. Lamont, D. Manglunki, E. Meschi, S. Redaelli, M. Schaumann, M. Solfaroli, J. Wenninger and others ...

Overview of the run

- 15:45 Injection of first Pb bunch, intensity about 7 10⁹ charges.
- Dumped due to RF synchronization problem.
- 17:37 Injection of B1. Trouble injecting Pb.
- 18:54 Injection of B2.
- 19:19 dump of both beams during the ramp due to TCT position interlocks.
- QPS and RF problems
- 22:40 -> 22:52 Ramp.
- 23:30 Collapsing separations with injection optics optimizations at each experiment with collision rates
- 00:43 Loss maps on 2 additional bunches in each beam
- 01:27 STABLE BEAMS
- 06:25 Stable beams, IP moved by -0.5 m in ALICE
- 07:55 Stable beams, IP moved by +0.5 m in ALICE
- 09:35 Beam dump by operators

-> Successful movement of the IP opens up new possibilities for putting the beams into collision, to be studied further.

-> Measurements were performed with WS, data were taken with BGI for B2, but are not analyzed yet. 2012/09/18 LCU Meeting

2

B2 - measurements between 18:00 and 19:00

- Measurements performed on Pb bunches in the presence of 15 p-bunches before the first ramp (WS data in red),
- compared with IBS simulation (blue curve) (M. Schaumann)
- Time = 0 h correspond to 18:00.



B2 - measurements between 18:00 and 19:00

- IBS simulation is in very good agreement with WS-data
- Except for vertical emittance, maybe due to coupling?



B2 parameters during the physics fill



Luminosity in ALICE

- Estimated from data of bunch 1 (B2)
- Proton emittance was about 1.5 μ m, intensity about 1.1x10¹⁰ charges.



First events

In ALICE



in LHCb



In the CCC

